


Acrylic Resin ACRYPET_{TM}

Catalog by application



ACRYPET_{TM}

ACRYPET™ is the trade mark of Polymethyl Methacrylate (PMMA) material commercialized by Mitsubishi Chemical Group.

PMMA has the best transparency among all plastics. With its exellent weatherability, anti-chemical resistance, surface hardness and appearance, PMMA is widely used in automotive, construction, home appliances and optical applications among our daily life. ACRYPET™ has a comprehensive product line-up from high impact grades to various high quality materials to fulfill diversified market needs.

Applications

Application	Automotive parts Lighting parts	Washbowl Display units	Plastic window profile Stationary	Automotive parts Rice cooker lid	Rain gutter Pipe coating	Washing machine lid	Automotive parts
Grade recommendation	Standard		High impact resistance				
	VH	IRH50	IRD50	IRK304	IRS404	IRL509	VRL40
Temperature of deflection under load ℃	100	93	85	94	86	88	94
Melt flow rate g/10min	2.0	1.0	2.5	3.1	8.5	1.7	2.5
Charpy impact strength 1eA Vnotched kJ/m²	1.4	2.9	2.9	2.4	2.6	4.8	7.4

All data are typical value, no standard value.


Colors

Based on our excellent compounding technology, suggestion of coloring and high-functional products are available.



Standard Color	Smoke color	Frosted color (Milky white color)	High diffusion	Filter	
	NS	NW	PD	PF	

Indoor



Outdoor

Automotive inner decoration





Grade

Road lamp

Grade VH/VHM

Meter cover, Lighting



Grade VRL40

Ornament, Display




Grade IRD

Plastic window profile



Grade IRS

Rain gutter, Pipe coating



Front grille





Pillar, Visor





Tail light, Rear garnish





Head light, Body parts





Bicycle reflector





- others


- Balcony panel (Roof etc.)
 Power distribution board case
 Vending machine

Agricultural machinery

New Item

Optical Diffusion

Possible for changing both clear and diffusing color by switching on and off the LED.




Black & Color

Black & Color can change transmitted light color of white LED into several light color through it.



Black & White

Black & White is smoke color. It hides the lighting device when it is off , but it can diffuse when it is on.



 $[\]ensuremath{\text{\%}}$ "ACRYPET $\ensuremath{\text{\top}}$ intergrated catolog" is also available.

MITSUBISHI CHEMICAL CORPORATION

1-1, Marunouchi 1-chome, Chiyoda-ku, Tokyo 100-8251, Japan TEL.+81-3-6748-7535

https://www.m-chemical.co.jp

Contact Us

Diapolyacrylate Company Limited

100/62 30th Floor, Sathorn Nakorn Tower, North Sathorn Rd., Khwaeng Silom, Khet Bangrak, Bangkok 10500, Thailand TEL.+66-2-636-7579

Mitsubishi Chemical Hong Kong Limited

Suites 2905-6, 29/F, Tower 2, The Gateway, Harbour City, 25 Canton Rd. Tsimshatsui, Kowloon, Hong Kong TEL.+852-2522-7031

Mitsubishi Chemical Methacrylates (Shanghai) Co., Ltd.

Room2601, Metro Tower, 30 Tian Yao Qiao Road, Xuhui District, Shanghai 200030, China TEL.+86-21-6426-8899

Mitsubishi Chemical Polymer Nantong Co.,Ltd.

No.6 Guangzhou Road Nantong Economic & Technological Development Area, Jiangsu Province 226009, China TEL.+86-513-8596-0500

LOTTE MCC CORPORATION

Lotte World Tower 14F, 300, Olympic-ro, Songpa-gu, Seoul 05551, Korea TEL.+82-2-840-0917

Lucite International Alpha BV

Merseyweg 16, 3197 KG Botlek, Rozenburg Netherlands TEL.+31-181-233-205

Mitsubishi Chemical America, Inc.

9115 Harris Corners Parkway, Suite 300, Charlotte, NC 28269, U.S.A TEL.+1-980-580-2839

PMMA Global Business Department ACRYPET

https://www.acrypet.com/

• Catalog contents are subjected to change without prior notice. • Color may differ from actual because of printing. • Copyright reserved.